

Safety Data Sheet

according to WHS Regulations

Print date: 19.01.2024

Revision date: 19.01.2024

1 Identification

Product Name: CHLORODET

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use:

Multi-purpose sanitising solution for general farm use

Details of Manufacturer or Importer:

DASCO Pty Ltd
24-26 Helen Street
Heidelberg Heights VIC 3081

Phone Number: (03) 9459 7004

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Corrosion

Eye Damage 1 H318 Causes serious eye damage.



Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Print date: 19.01.2024

Revision date: 19.01.2024

Product Name: CHLORODET

(Contd. of page 1)

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 64-17-5	Ethanol	<10%
	⚠ Flammable Liquids 2, H225; ⚠ Eye Irritation 2A, H319	
CAS: 125-12-2	Isobornyl acetate	<10%
	Flammable Liquids 4, H227	
CAS: 18472-51-0	Chlorhexidine gluconate	<10%
	⚠ Eye Damage 1, H318; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Corrosion/Irritation 2, H315; Skin Sensitisation 1, H317; Aquatic Acute 2, H401	
CAS: 84133-50-6	Alcohols, C12-C14-secondary, ethoxylated	<1%
	⚠ Eye Damage 1, H318; ⚠ Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause irritation to the upper respiratory system. Aspiration of froth into lungs during swallowing or vomiting may cause chemical pneumonitis (irritation of lung tissues) and pulmonary oedema (fluid build up in the lungs). Onset of symptoms may be delayed. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Contact: May cause mild skin irritation. May cause an allergic skin reaction. Will have a degreasing effect on the skin.

Eye Contact: Causes serious eye irritation, redness and pain.

Ingestion: May be harmful if swallowed. May cause stomach pain, nausea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of nitrogen, hydrogen chloride and other chlorine compounds and smoke.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Print date: 19.01.2024

Revision date: 19.01.2024

Product Name: CHLORODET

(Contd. of page 2)

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away. Take care as spill may cause a slip hazard.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.
Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.
Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact.
Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight. Keep away from oxidising agents.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 64-17-5 Ethanol

WES TWA: 1880 mg/m³, 1000 ppm

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.
When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.
Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Frothing liquid
Colour:	Clear pink
Odour:	Pine

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Print date: 19.01.2024

Revision date: 19.01.2024

Product Name: CHLORODET

(Contd. of page 3)

Odour Threshold:	No information available
pH-Value:	6-7
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	>100 °C
Flash Point:	No information available
Flammability (solid, gas):	Not applicable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density at 20 °C:	1.0-1.1
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Miscible in all proportions
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Oxidising agents.

Hazardous Decomposition Products:

Oxides of nitrogen, hydrogen chloride and other chlorine compounds and smoke.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 64-17-5 Ethanol

Oral	LD50	7,060 mg/kg (Rattus norvegicus (rat))
------	------	---------------------------------------

Inhalation	LC50/4 h	20,000 mg/l (Rattus norvegicus (rat))
------------	----------	---------------------------------------

CAS: 125-12-2 Isobornyl acetate

Oral	LD50	10,000 mg/kg (Rattus norvegicus (rat))
------	------	--

	LD50	20,000 mg/kg (Oryctolagus cuniculus (rabbit))
--	------	---

Acute Health Effects

Inhalation:

May cause irritation to the upper respiratory system. Aspiration of froth into lungs during swallowing or vomiting may cause chemical pneumonitis (irritation of lung tissues) and pulmonary oedema (fluid build up in the lungs). Onset of symptoms may be delayed. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin:

May cause mild skin irritation. May cause an allergic skin reaction. Will have a degreasing effect on the skin.

Eye: Causes serious eye irritation, redness and pain.

Ingestion: May be harmful if swallowed. May cause stomach pain, nausea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Print date: 19.01.2024

Revision date: 19.01.2024

Product Name: CHLORODET

(Contd. of page 4)

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.**Carcinogenicity:**Based on classification principles, the classification criteria are not met.
This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** Repeated or prolonged skin contact may lead to irritation and dermatitic effects.**Existing Conditions Aggravated by Exposure:** No data available.

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**Harmful to aquatic life with long lasting effects.
Harmful to aquatic life.**CAS: 64-17-5 Ethanol**

EC50/48 h	9,268-14,221 mg/l (Daphnia magna (water flea)) >100 mg/l (Selenastrum capricornutum (green algae))
EC50/72 h	275 mg/l (Algae)
LC50/96 h	>100 mg/l (Pimephales promelas (fathead minnow)) 12-16 mg/l (Oncorhynchus mykiss (rainbow trout))
LC50/48 h	>100 mg/l (Leuciscus idus (orfe; ide))

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Print date: 19.01.2024

Revision date: 19.01.2024

Product Name: CHLORODET

(Contd. of page 5)

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:
Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 19.01.2024**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 2: Flammable liquids – Category 2

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCOS Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.