

Safety Data Sheet

according to WHS Regulations

Print date: 10.09.2024

Revision date: 09.09.2024

1 Identification

Product Name: KLENZ-IN-ONE

Other Means of Identification: Mixture

Other Name: Phosphoric acid solution containing iodine and surfactants

Recommended Use of the Chemical and Restriction on Use: Low foam dairy cleaner / sanitiser

Details of Manufacturer or Importer:

DASCO Pty Ltd
24 - 26 Helen Street
Heidelberg Heights VIC 3081

Phone Number: 03 9459 7004

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Corrosion

Skin Corrosion/Irritation 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Acute Toxicity (Inhalation) 4 H332 Harmful if inhaled.

Aquatic Acute 3 H402 Harmful to aquatic life.

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H402 Harmful to aquatic life.

Precautionary Statements

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear eye protection / face protection.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Print date: 10.09.2024

Revision date: 09.09.2024

Product Name: KLENZ-IN-ONE

(Contd. of page 1)

P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 7664-38-2	Phosphoric acid ⚠ Skin Corrosion/Irritation 1B, H314; ⚠ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Inhalation) 4, H332	>60%
CAS: 111-76-2	2-Butoxyethanol ⚠ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332; Eye Irritation 2A, H319; STOT SE 3, H335; Flammable Liquids 4, H227	<10%
CAS: 7553-56-2	Iodine ⚠ Aquatic Acute 1, H400; ⚠ Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332	<1%

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek immediate medical attention.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause respiratory irritation.

Skin Contact: Causes severe skin burns.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed. Causes burns to the mouth, nose, throat and oesophagus. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of phosphorous, hydrogen iodide, and iodine.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Print date: 10.09.2024

Revision date: 09.09.2024

Product Name: KLENZ-IN-ONE

(Contd. of page 2)

HAZCHEM Code: 2X

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses. Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight and heat. Keep away from bases, oxidising agents, mercaptans, epoxides, azo compounds, organic sulphides, metals, and wood.

8 Exposure Controls and Personal Protection

Exposure Standards:**CAS: 7664-38-2 Phosphoric acid**

WES	STEL: 3 mg/m ³ TWA: 1 mg/m ³
-----	---

CAS: 111-76-2 2-Butoxyethanol

WES	STEL: 242 mg/m ³ , 50 ppm TWA: 96.9 mg/m ³ , 20 ppm Sk
-----	--

CAS: 7553-56-2 Iodine

WES	Peak limitation: 1 mg/m ³ , 0.1 ppm
-----	--

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Use an approved combination respirator (filter type SA/A/P) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Print date: 10.09.2024

Revision date: 09.09.2024

Product Name: KLENZ-IN-ONE

(Contd. of page 3)

the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Dark
Odour:	Mild detergent and iodine
Odour Threshold:	No information available
pH-Value at 20 °C:	~1
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	>100 °C
Flash Point:	No information available
Flammability (solid, gas):	Not applicable
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density at 20 °C:	1.38
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Miscible
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight and heat.

Incompatible Materials:

Bases, oxidising agents, mercaptans, epoxides, azo compounds, organic sulphides, metals, and wood.

Hazardous Decomposition Products:

Oxides of carbon, oxides of phosphorous, hydrogen iodide, and iodine.

11 Toxicological Information

Toxicity:**LD50/LC50 Values:****CAS: 7664-38-2 Phosphoric acid**

Oral	LD50	1,530 mg/kg (Rattus norvegicus (rat))
	LD50	2,740 mg/kg (Oryctolagus cuniculus (rabbit))
Inhalation	LC50/1 h	>850 mg/m ³ (Rattus norvegicus (rat))

CAS: 111-76-2 2-Butoxyethanol

Oral	LD50	1,480 mg/kg (Rattus norvegicus (rat))
------	------	---------------------------------------

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Print date: 10.09.2024

Revision date: 09.09.2024

Product Name: KLENZ-IN-ONE

(Contd. of page 4)

	LD50	400 mg/kg (<i>Oryctolagus cuniculus</i> (rabbit))
CAS: 7553-56-2 Iodine		
Oral	LD50	14,000 mg/kg (<i>Rattus norvegicus</i> (rat))

Acute Health Effects**Inhalation:** Harmful if inhaled. May cause respiratory irritation.**Skin:** Causes severe skin burns.**Eye:** Causes serious eye damage.**Ingestion:**

Harmful if swallowed. Causes burns to the mouth, nose, throat and oesophagus. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes severe skin burns.**Serious Eye Damage / Irritation:** Causes serious eye damage.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Based on classification principles, the classification criteria are not met.

2-butoxyethanol is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No data associated with long term health effects.**Existing Conditions Aggravated by Exposure:** No data available.

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

Harmful to aquatic life.

CAS: 7664-38-2 Phosphoric acid

EC50	270 mg/l (Activated sludge)
EC50/48 h	>100 mg/l (<i>Daphnia magna</i> (water flea))
EC50/72 h	>100 mg/l (<i>Scenedesmus subspicatus</i> (green algae))
LC50/96 h	138 mg/l (<i>Gambusia affinis</i> (mosquito fish))

CAS: 111-76-2 2-Butoxyethanol

EC50/48 h	>1,000 mg/l (<i>Daphnia magna</i> (water flea))
LC50/96 h	1,490 mg/l (<i>Lepomis macrochirus</i> (bluegill))

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Print date: 10.09.2024

Revision date: 09.09.2024

Product Name: KLENZ-IN-ONE

(Contd. of page 5)

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA	UN3264
Proper Shipping Name ADG, IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SOLUTION)
Dangerous Goods Class ADG Class:	8
Packing Group: ADG, IMDG, IATA	II
EMS Number:	F-A,S-B
Hazchem Code:	2X
Special Provisions:	274
Excepted quantities (EQ):	E2
Limited Quantities:	1 L
Packagings & IBCs - Packing Instruction:	P001, IBC02
Portable Tanks & Bulk Containers - Instructions:	T11
Portable Tanks & Bulk Containers - Special Provisions:	TP2, TP27

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 09.09.2024

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Print date: 10.09.2024

Revision date: 09.09.2024

Product Name: KLENZ-IN-ONE

(Contd. of page 6)

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.