

Date of issue: 04.03.2025

Safety Data Sheet according to WHS Regulations

Revision date: 02.12.2024

1 Identification

Product Name: REDENE (READY TO USE)

Other Means of Identification: Mixture

Other Name: lodophor teat dip and spray; dilute surfactant solution containing 0.5% available iodine **Recommended Use of the Chemical and Restriction on Use:** Teat dip and spray for dairy cows

Details of Manufacturer or Importer:

DASCO Pty Ltd 24 - 26 Helen Street

Heidelberg Heights VIC 3081 **Phone Number:** (03) 9459 7004

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



GHS05 Corrosion

Eye damage/irritation – Category 1 H318 Causes serious eye damage.

Aquatic Acute 3 H402 Harmful to aquatic life.

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

H402 Harmful to aquatic life.

Precautionary Statements

P273 Avoid release to the environment.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:			
CAS: 84133-50-6	Alcohols, C12-C14-secondary, ethoxylated	<5%	
	Eye damage/irritation – Category 1, H318; Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315		
CAS: 7553-56-2	lodine	<0.5%	
	♠ Aquatic Acute 1, H400; ♠ Acute toxicity - dermal – Category 4, H312; Acute toxicity - inhalation – Category 4, H332		

(Contd. on page 2)

according to WHS Regulations

Date of issue: 04.03.2025 Revision date: 02.12.2024

Product Name: REDENE (READY TO USE)

(Contd. of page 1)

Non Hazardous Components:	
CAS: 56-81-5 Glycerol	5-10%

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek medical attention if feeling unwell.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. Skin Contact: May cause skin irritation. Eye Contact: Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, hydrogen iodide, and iodine.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved self-contained breathing apparatus and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

(Contd. on page 3)

according to WHS Regulations

Date of issue: 04.03.2025 Revision date: 02.12.2024

Product Name: REDENE (READY TO USE)

(Contd. of page 2)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight. Keep away strong oxidising agents.

8 Exposure Controls and Personal Protection Exposure Standards: CAS: 56-81-5 Glycerol WES TWA: 10 mg/m³ inhalable dust CAS: 7553-56-2 lodine WES Peak limitation: 1 mg/m³, 0.1 ppm

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Use an approved unit respirator (filter type P or filter type SA) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eve and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Slightly frothing liquid

Colour: Dark brown lodine

Odour Threshold: No information available

pH-Value at 20 °C: 3-5

Melting point/freezing point: No information available

Initial Boiling Point/Boiling Range: >100 °C

Flash Point: No information available

Flammability Not applicable

Auto-ignition Temperature:No information availableDecomposition Temperature:No information available

Explosion Limits:

Lower:No information availableUpper:No information availableVapour Pressure:No information available

Relative Density: ~1

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Miscible

according to WHS Regulations

Date of issue: 04.03.2025 Revision date: 02.12.2024

Product Name: REDENE (READY TO USE)

(Contd. of page 3)

Partition Coefficient (n-octanol/water): No information available **Viscosity:** No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: Oxides of carbon, hydrogen iodide, and iodine.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:			
CAS: 56-81-5 Glycerol			
Oral	LD50	12,600 mg/kg (Rattus norvegicus (rat))	
Inhalation	LC50/6 h	4 mg/l (Rattus norvegicus (rat))	
CAS: 84133-50-6 Alcohols, C12-C14-secondary, ethoxylated			
Oral	LD50	>412 mg/kg (Rattus norvegicus (rat))	
Inhalation	LC50/4 h	1.06 mg/l (Rattus norvegicus (rat))	
CAS: 7553-56-2 lodine			
Oral	LD50	14,000 mg/kg (Rattus norvegicus (rat))	

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: May cause skin irritation. **Eve:** Causes serious eye damage.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

(Contd. on page 5)

according to WHS Regulations

Date of issue: 04.03.2025 Revision date: 02.12.2024

Product Name: REDENE (READY TO USE)

(Contd. of page 4)

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Harmful to aquatic life.

CAS: 84133-50-6 Alcohols, C12-C14-secondary, ethoxylated

EC50/48 h 7.3 mg/l (Daphnia magna (water flea))

LC50/96 h 3.2-3.6 mg/l (Pimephales promelas (fathead minnow))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals: All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 02.12.2024

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute toxicity - oral - Category 4: Acute toxicity - Category 4

Skin corrosion/irritation - Category 2: Skin corrosion/irritation - Category 2

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

(Contd. on page 6)

according to WHS Regulations

Date of issue: 04.03.2025 Revision date: 02.12.2024

Product Name: REDENE (READY TO USE)

(Contd. of page 5)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.